


22 AWG 2 Conductor Plenum Communication Cable



1. Construction:

- 1.1. Conductors: 22 AWG Stranded Bare Copper 0.029" Nominal Diameter
- 1.2. Insulation: Plenum PVC, 0.041" Nominal Diameter
- 1.3. Color Code:
 - 1.Black 2.White
- 1.4. Cable: Cable 2 Conductors
- 1.5. Ripcord: Ripcord located under Jacket
- 1.6. Jacket: White Plenum PVC, Nom OD = 0.070" x 0.111"
- 1.7. **Jacket Print:**
COMTRAN (01-12345) 22 AWG CL3P/FPLP (UL)
OR CMP C(UL)US RoHS 000002



Sequential Footage Markings Every Two Feet

2. Compliance:

- 2.1. UL Subject 444 Communications Cables
- 2.2. UL 1424 Power Limited Fire Alarm Circuit Cable
- 2.3. UL 13, Power Limited Circuit Cable
- 2.4. NFPA 262, Plenum Flame Test (UL 910)
- 2.5. NEC Article 725, 760 and 800
- 2.6. UL Listed Type CL3P/FPLP/CMP
- 2.7. C(UL) CMP
- 2.8. California State Fire Marshal Approved
- 2.9. RoHS Compliant

3. Electrical Characteristics:

- 3.1. Capacitance C-C: 24 pF/ft. Nom @ 1 MHz
- 3.2. DC Resistance: 16.1 Ω/1000' Nominal

TITLE:		DESCRIPTION:		COMTRAN 330A Turner Street South Attleboro, MA 02703 Phone: 508-399-7004 Fax: 508-399-8839		 COMTRAN Innovative Systems. Engineered Solutions.  A Marmon Wire & Cable/Berkshire Hathaway Company	
DS34950		22AWG 2/C Communication Cable					
Rev	Date	Detail	Eng.	App.			
10	01/17/19	Change logo and basic corrections	SM	WC			
9	12/15/15	Change nominal minor diameter to reflect actual wall	PB	RN			
8	09/02/15	Add drawing; reformat to current standards	PAB	RN			
7	12/15/09	Revise to reflect flat construction	2ME	RHW			
6	06/21/06	RoHS/Tri Rate; Add Ripcord	2ME	RHW			
5	11/11/02	Revised and redrawn	2ME	2ME			
4	11/11/02	Revised and redrawn	2ME	2ME			

Comtran reserves the right to change the information above without prior notification. Comtran assumes no risk, and is not liable for direct or indirect, or consequential damages, resulting from the use of this document