


22 AWG 4 Conductor Plenum Communication Cable



1. Construction:

- 1.1. Conductors: 22 AWG Stranded Bare Copper 0.029” Nominal Diameter
- 1.2. Insulation: Plenum PVC, 0.041” Nominal Diameter
- 1.3. Color Code:
 - 1.Black 2.White 3.Red 4.Green
- 1.4. Cable: Cable 4 Conductors
- 1.5. Ripcord: Ripcord located under Jacket
- 1.6. Jacket: White Plenum PVC, Nom OD = 0.128”
- 1.7. **Jacket Print:**
COMTRAN (01-12345) 22 AWG CL3P/FPLP (UL)
OR CMP C(UL)US RoHS 000002

Sequential Footage Markings Every Two Feet

2. Compliance:

- 2.1. UL Subject 444 Communications Cables
- 2.2. UL 1424 Power Limited Fire Alarm Circuit Cable
- 2.3. UL 13, Power Limited Circuit Cable
- 2.4. NFPA 262, Plenum Flame Test (UL 910)
- 2.5. NEC Article 725, 760 and 800
- 2.6. UL Listed Type CL3P/FPLP/CMP
- 2.7. C(UL) CMP
- 2.8. California State Fire Marshal Approved
- 2.9. RoHS Compliant

3. Electrical Characteristics:

- 3.1. Capacitance C-C: 24 pF/ft. Nom @ 1 MHz
- 3.2. DC Resistance: 16.1 Ω/1000’ Nominal

TITLE:		DESCRIPTION:		COMTRAN		 COMTRAN <small>Innovative Systems. Engineered Solutions.</small>	
DS34952		22AWG 4/C Communication Cable		330A Turner Street South Attleboro, MA 02703 Phone: 508-399-7004 Fax: 508-399-8839		 <small>A Marmon Wire & Cable/Berkshire Hathaway Company</small>	
Rev	Date	Detail	Eng.	App.			
9	12/28/18	Change logo and basic corrections	SM	WC			
8	09/02/15	Add drawing; reformat to current standards	PAB	RN			
7	02/20/08	Add Resistance	2ME	RHW			
6	08/09/06	RoHS/Tri Rate; Add Ripcord	2ME	RHW			
5	10/15/04	Revised and redrawn	2ME	RHW			

Comtran reserves the right to change the information above without prior notification. Comtran assumes no risk, and is not liable for direct or indirect, or consequential damages, resulting from the use of this document